MozOut

Generated on 21/10/2026 15:58

KNOWLEDGE BASE · PUBLIC DOCUMENT

Ports and firewall on a VPS: why your app is not reachable

Node.js, Python & Docker


CODE	VERSION	COUNTRY · LANGUAGE
RLX-INT-KB-2796	v2026.10.10	International · English

MozOut International
RLX Holdings (Pty) Ltd. · Group RLX Holdings
Tax no. (SARS) 943 907 6234 · Registration no. (CIPC) 2025/667953/07

https://www.my.mozout.com/knowledgebase/2796

Ports and firewall on a VPS: why your app is not reachable

Node.js, Python & Docker Created on **October 10, 2026** 3 min read



The application runs, answers on the server itself, and does not open from outside. In almost every case it is one of **three** things: the application only listens on `127.0.0.1`, the **firewall** does not let the port through, or the request never arrives because of **DNS** or a proxy. Working out which is done from the inside out, and it is quick. This article is for a **VPS** with root access.

From the inside out, in order

1. **Is the application listening, and where?**

   ```
   sudo ss -tlnp
   ```

   Find the port. The address on the left says it all: `127.0.0.1:3000` only accepts requests from the server itself; `0.0.0.0:3000` (or `*:3000`) accepts from anywhere. If the port does not even appear, the application is not running.

2. **Does it answer on the server itself?** `curl -I http://127.0.0.1:3000`. If it does not answer here, the problem is the application, not the network.

3. **Look at the firewall:**

   ```
   sudo ufw status verbose
   ```

   If it says “inactive”, `ufw` is not what is blocking. If it is active and the port is not listed, that is the block.

4. **Test from outside,** from another computer or a phone: `curl -I http://VPS-IP:3000`. Or, with `nc`: `nc -zv VPS-IP 3000`.

5 **If you go by name, check the DNS** and that the A record points at this VPS: **checking the DNS**.

What the message says

From outside, you see	It means	What to do
"Connection refused"	The request reached the server and nobody answered on that port (or it was rejected).	The application is not running, or listens only on `127.0.0.1`. See step 1.
It waits, then "timed out"	The request was dropped on the way. Usually the firewall.	Open the port (see below) and repeat the test.
Works by IP, not by name	DNS does not point at this server, or has not propagated.	Check the A record: **how long DNS takes**.
Works on HTTP, not on HTTPS	Port 443 is closed, or the certificate is missing.	Open 443 and see **HTTPS for a container**.

Opening a port, by system

System	Open port 8080	Check
Ubuntu and Debian (ufw)	`sudo ufw allow 8080/tcp`	`sudo ufw status verbose`
AlmaLinux and Rocky (firewalld)	`sudo firewall-cmd --permanent --add-port=8080/tcp` and then `sudo firewall-cmd --reload`	`sudo firewall-cmd --list-all`

If you are **switching on** `ufw` for the first time, do it in this order, or you close SSH's own port and lock yourself out of your server:

```
sudo ufw allow OpenSSH
sudo ufw allow 80/tcp
sudo ufw allow 443/tcp
sudo ufw enable
```

`OpenSSH` assumes port 22. If your SSH uses another, open that one.

! **Docker steps around ufw.**
A port published by a container (`-p 8080:80`) is open to the world even if `ufw` did not allow it, because Docker writes its own rules. To keep it on the server only, publish on `127.0.0.1` (`-p 127.0.0.1:8080:80`) and put a proxy with HTTPS in front: **nginx as a reverse proxy**.

Open only what you need.

Database ports (MySQL, PostgreSQL) should not be open to the world. To reach them from outside, use a tunnel: **SSH tunnel**. The six basic precautions are in **keeping a VPS secure**.

After opening the port on the server, there may still be another barrier outside it

, if your environment has an additional firewall configured. If the test from outside still says “timed out” with the port open and the application listening on `0.0.0.0`, tell us: we check the network side. Installing and configuring the firewall inside the server is yours: **how far our support goes**.

NEED A HAND?

Did the inside-out test and the port still does not answer? Send us the VPS IP, the port, and the result of ss -tlnp and of the test from outside.

Open a support ticket →

SEE ALSO

- Which ports are open, and why your integration hangs without an error →
- Nginx as a reverse proxy in front of a container →
- Keeping your VPS or dedicated server secure: the six that matter →

Mozout

MozOut International

RLX Holdings (Pty) Ltd. · Group RLX Holdings

TAX NO. (SARS)	943 907 6234
REGISTRATION NO. (CIPC)	2025/667953/07
REGISTERED OFFICE	1111 Olive Street Saint Louis 63101, Missouri, United States
CONTACT	info@mozout.com · +27 78 823 3325 · www.mozout.com
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-INT-KB-2796 · v2026.10.10 · Generated on 21/10/2026 15:58