

KNOWLEDGE BASE · PUBLIC DOCUMENT

File permissions explained: what 755, 644 and 777 mean

Security

CODE

RLX-INT-KB-4602

VERSION

v2026.10.10

COUNTRY · LANGUAGE

International · English

MozOut International

RLX Holdings (Pty) Ltd. · Group RLX Holdings

Tax no. (SARS) 943 907 6234 · Registration no. (CIPC) 2025/667953/07

<https://www.my.mozout.com/knowledgebase/4602>



The short answer: on an ordinary hosting account, **folders** should be **755** and **files 644**. Files holding secrets, such as `wp-config.php`, can be tighter still (600). And **never 777**: it means “anyone may write here”, and whoever tells you to set 777 to “fix” an error is treating the symptom and opening the door.

How to read the number

It is three digits, one for each group: the **owner** (your account), the **group**, and **everyone else**. Each digit adds up what that group may do: **4** = read, **2** = write, **1** = execute (for a folder, to enter it). So $7 = 4+2+1$ (everything), $5 = 4+1$ (read and execute), $6 = 4+2$ (read and write), $4 = 4$ (read only).

Number	Owner / group / others	When it is used
755	everything / read and enter / read and enter	Folders. Only the owner changes them; the server can still enter to serve the site.
644	read and write / read / read	Ordinary site files: pages, images, stylesheets.
600	read and write / nothing / nothing	Files with secrets, such as <code>wp-config.php</code> , which holds the database password.
777	everything / everything / everything	Never. Any program running on the server can change the content.

How to see and change permissions

1

In cPanel, open File Manager, right-click the file or folder and choose “Change Permissions”. You get the number and the read, write and execute boxes.

2

In FileZilla, right-click the file and choose “File permissions”. You can apply it to folders only or to files only: use this to set folders to 755 and files to 644 separately. See **FileZilla day to day**.

3

If your account has SSH access, you can set everything at once from the site folder. Folders first, `find public_html -type d -exec chmod 755 {} +`, then files, `find public_html -type f -exec chmod 644 {} +`. Check the folder name before you run it: the command is yours.

4

Test the site after the change. If a page starts to fail, note what you changed and undo it on that file.

The symptom of wrong permissions is misleading. A 403 “Forbidden” or a 500 error after an FTP upload is often a folder or file with unsuitable permissions (too tight or too open). On many servers a 777 folder even causes a 500 error, because the server refuses to run programs from somewhere anyone can write. See **error 403: permissions, .htaccess and blocked IPs**.

WordPress plugins that ask for 777 on the `uploads` folder are badly written or badly installed. The folder works at 755 if it belongs to your account. If it does not, the file owner may be wrong, which is worth a support ticket, not a 777.

A 403 or 500 error that only appears after you touched permissions? Tell us the address and what you changed.

[Open a support ticket](#)

SEE ALSO

[Error 403 Forbidden: permissions, .htaccess and blocked IPs](#)

[Protecting the WordPress login: three steps in order of effect](#)

[Day to day in FileZilla: syncing, permissions and hidden files](#)

[Linux file permissions on a VPS](#)



Online version of this document

MozOut is a leading internet services company, with a mission to help businesses to be born and prosper through technology.

2020

FOUNDED

37,000+

CLIENTS

130+

SIGN-UPS A DAY

MozOut International

RLX Holdings (Pty) Ltd. • Group RLX Holdings

TAX NO. (SARS)

943 907 6234

REGISTRATION NO.
(CIPC)

2025/667953/07

REGISTERED OFFICE

1111 Olive Street
Saint Louis 63101, Missouri, United States

CONTACT

info@mozout.com • +27 78 823 3325 • www.mozout.com

OPENING HOURS

Monday to Friday - 08 AM to 04 PM
Saturday & Sunday - Closed