Mozout

Generated on 28/11/2026 21:25

KNOWLEDGE BASE · PUBLIC DOCUMENT

The MCP server address and the two ways in: an API key or your account

MCP Server

CODE	VERSION	COUNTRY · LANGUAGE
RLX-INT-KB-9366	v2026.11.28	International · English

MozOut International
RLX Holdings (Pty) Ltd. · Group RLX Holdings
Tax no. (SARS) 943 907 6234 · Registration no. (CIPC) 2025/667953/07

https://www.my.mozout.com/knowledgebase/9366

The MCP server address and the two ways in: an API key or your account

MCP Server Created on **November 28, 2026** 2 min read



The All in One AI MCP server lives at the same address as the API, on the `/mcp` path. There is no program to install. There are two ways in: your API key or your MozOut account. This article helps you choose.

The address

`https://api.mozout.com/mcp`

The transport is Streamable HTTP, the remote MCP transport. In the examples, the server is named `mozout-ai`. You can give it another name: it is only the name the agent shows.

With your API key

The key goes in the `Authorization: Bearer` header. We also accept `x-api-key`. Create it in the **API Center** with the `ai:read` and `ai:write` permissions. With only `ai:read`, the agent sees the models, the generations and the balance, but cannot generate or chat.

```
Authorization: Bearer prod_...
```

Keep the key in the `MOZOUT_API_KEY` variable so you do not write it in config files. It works in any client that accepts a remote server with headers: Claude Code, Codex, Cursor, Cline and Windsurf.

With your account (OAuth)

No key and no variable. The client opens the My MozOut sign-in page, you sign in and click **Allow** on the authorization screen. ChatGPT only works this way. Claude Code works both ways. Other clients that sign in through OAuth only need the address. You just need AI credits or an active Coding Plan in **All in One AI**.

The differences

	API key	Your account (OAuth)
Where it works	Clients that accept headers: Claude Code, Codex, Cursor, Cline, Windsurf	ChatGPT, Claude Code and other clients with OAuth
Testing at no cost	Yes, with a `sandbox_` key	No: requests are always production
Requests per minute limit	Per key	For the whole account, adding up the authorized apps
How long it lasts	Until you revoke the key or it reaches the validity you gave it	One hour, renewed on its own. After 30 days without use, you authorize again
Cutting access	Revoke the key in the API Center	Revoke access in Connected apps

What about the rest of the API?

OAuth only serves the MCP server, at `https://api.mozout.com/mcp`. The rest of the API still needs a key. And the key still works on the MCP, in the header, as before.

Choose the key if you want to test with `sandbox_` or you use Codex, Cursor, Cline or Windsurf. Choose your account if you use ChatGPT or would rather not keep keys in Claude Code.

RECOMMENDED

Want images, videos and voice inside your tool? See the Coding with AI page.

See Coding with AI →

SEE ALSO

- **The All in One AI MCP server: images, video and voice inside Claude Code, Codex and ChatGPT →**
- **The MCP server in Claude Code without a key: signing in with your account →**
- **The authorization screen and connected apps: what an app can do and how to revoke it →**
- **Creating an API key: name, mode, permissions, validity, IP list and spending limit →**

Coding with AI in All in One AI

Mozout

MozOut International

RLX Holdings (Pty) Ltd. · Group RLX Holdings

TAX NO. (SARS)	943 907 6234
REGISTRATION NO. (CIPC)	2025/667953/07
REGISTERED OFFICE	1111 Olive Street Saint Louis 63101, Missouri, United States
CONTACT	info@mozout.com · +27 78 823 3325 · www.mozout.com
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

RLX-INT-KB-9366 · v2026.11.28 · Generated on 28/11/2026 21:25

Online version of this document